

Material Safety Data Sheet (MSDS)

Team	Date of first preparation	Date of last revision	Revision Number
Finished Lubricants	2012-11-30	2017-10-26	2
R&D Team	2012-11-30	2017-10-26	3

1. Chemical Product and Company Information

1) Product: Kixx Marine 10 30

- 2) Recommended use of the chemical and restrictions on use
 - O Recommended use: Lubricants, Marine System Oil (Cross Head Engine)
 - O Restrictions on use :
- 3) Manufacture/Supplier information
 - O Supply company: GS Caltex Corporation
 - O Address: Nonhyeon-ro 508(Yeoksam-dong), Gangnam-gu, Seoul, South Korea
 - Information service or emergency call: 82-2-1899-5145
 - O Department in charge: Finished Lubricants R&D Team

2. Hazards Identification

- 1) Classification of the substance or mixture
 - Not hazardous
- 2) GHS labels, including precautionary statements
 - Symbol : No symbol
 - O Signal word: No signal word
 - Hazard statement

Not classified under GHS criteria

- O Precautionary statement
 - Prevention
 - No precautionary phrases
 - Response
 - No precautionary phrases
 - Storage
 - No precautionary phrases
 - Disposal
 - No precautionary phrases
- 3) Other hazards which do not result in classification

NFPA Component	Health	Fire	Reactivity
1. Distillates, Hydrotreated Heavy Paraffinic	0	1	0
2. Ca Branched/Linear Alkylphenate	1	1	0
Calcium Long Chain Alkaryl Sulfonate Sulfide	1	1	0
4. Additive mixture (S1)	1	1	0

3. Composition and Information on Ingredients

Component	Synonyms	CAS No.	Content(%)
Distillates, Hydrotreated Heavy Paraffinic		64742-54-7	90 ~ 95
2. Ca Branched/Linear Alkylphenate Salicylate Sulfide		Not Determined	1 ~ 5
3. Calcium Long Chain Alkaryl Sulfonate Sulfide		722503-68-6	1 ~ 5
4. Additive mixture (S1)	Not Applicable	Not Determined	1 ~ 5

4. First Aid Measures

- 1) Eye contact:
 - Wash eyes thoroughly with plenty of water for at least 20 minutes.
- 2) Skin contact:
 - Remove contaminated clothing and wash skin with plenty of soap and water.

Flush with plenty of water for 15 minutes.

Seek medical attention if ill effect or irritation develops.

- 3) Inhalation:
 - If overcome by exposure, remove person to fresh air immediately.
 - Give oxygen or artificial respiration as needed.
 - Obtain emergency medical attention. Prompt action is essential.
- 4) Ingestion:
 - Do not induce vomiting. Obtain emergency medical attention. Prompt action is essential.
- 5) Most important symptoms/effects, acute and delayed:
 - May cause slight eye and skin irritation. Not expected to be a sensitizer.
- 6) First-aid treatment and information on medical doctors:
 - Treat symptomatically.

Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

5. Fire Fighting Measures

1) Re	ecommanded(or prohibited) extinguishing media
\bigcirc	Recommanded extinguishing media:
_	Dry chemicals, CO2, water spray, fire fighting foam
\bigcirc	Prohibited extinguishing media:
_	High pressure water shoot
\circ	Large fire:

2) Specific hazard from chemical material

- fire fighting foam or water spray

- Toxicant from combustion: Carbon oxidesFire and Explosion Hazards: Slight fire risk
- 3) Extinguishment:

If it is not dangerous, remove containers from fire areas.

Make hills for further treatment.

avoid Inhalation of material oneself or combustion generation material

Stand against the wind and avoid lower zone.

6. Accidental Release Measures

1) Necessary actions to protect human health:

If it is not dangerous, stop release safely, do so.

Keep away from water supply facilities and sewage.

Avoid inhalation of materials or combustion products

Avoid heat, flame, spark, and other ignition sources.

- 2) Necessary actions to protect the environment
 - May contaminate water supplies/pollute public waters. Evacuate/limit access.

Equip responders with proper protection.

Prevent flow to sewer/public waters. Stop release. Notify fire and environmental authorities.

Restrict water use for cleanup.

- 3) Purification and removal methods
 - O Small leak: Only authorized person can access to the hazardous and restricted areas.

Collect spills with proper containers to treat them.

Absorb spills with sand and other non-combustible materials.

O Large leak: No data

7. Handling and Stroage

1) Safety handling:

Avoid contact with skin. Use proper bonding and/or grounding procedures.

Prevent small spills and leakage to avoid slip hazard.

Material can accumulate static charges which may cause an electrical spark (ignition source).

2) Stroage:

Stroage in closed containers.

Stroage in cool and dry areas.

Ventilation keeps it in a region

Keep away from prohibited materials for mixing.

8. Exposure Control and Personal Protection

A. Exposure limits and biological exposure limits of chemical

1) Distillates, Hydrotreated Heavy Paraffinic

○ ACGIH: TWA: 5mg/m3 STEL: 10mg/m3

○ NIOSH: TWA: 5mg/m3

STEL: 10mg/m3

- O Biological exposure limits: No data
- 2) Ca Branched/Linear Alkylphenate Salicylate Sulfide
 - ACGIH : No data
 - O Biological exposure limits: No data
- 3) Calcium Long Chain Alkaryl Sulfonate Sulfide
 - O ACGIH: No data

	○ Biological exposure limits: No data
4)	Additive mixture (S1) O ACGIH: No data O Biological exposure limits: No data
В	Engineering management: Ventilation equipment should be explosion-proof if explosive concentrations of dust, vapor or fume are present. Install local ventilation system. Comply with limits.
С	 Personal protection equipment: Respiratory protection: If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include: Half-face filter respirator Eyes protection:
	Safety glasses or goggles are recommended for the eyes protection from dusts or mists. A business proprietor should install eyes washing facilities near working areas to protect worker's eyes for emergency.
	Hands protection:Use proper chemical resistant gloves.Human body protection:

9. Physical and Chemical Properties

1) Appearance: Clear, light yellow liquid

Use proper chemical resistant clothes.

2) Odor : a specific smell of Hydrocarbon

3) Odor threshold: No data

4) pH: No data

5) Melting point/freezing point: No data

6) Initial boiling point or boiling range: No data

7) Flash point : 232°C (C.O.C)

8) Evaporation rate (BuAc=1): No data

9) Flammability(solid, gas): No data

10) Upper/lower flammability or explosive limits: No data

11) Vapor pressure : <0.1 Kpa @ 20℃

12) Solubility: No data

13) Vapor density: No data

14) Relative density: 0.8535 Kg/L @ 15℃

15) Partition coeficient: n-octano/water : No data	
16) Auto-ignition temperature ⇒ 260°C	
17) Decomposition temperature : No data	
18) Viscosity: 10.5 cSt @ 100℃	
19) Molecular weight: No data	
0. Stability and Reactivity	
1) Chemical stability:- Stable at room temperature and pressure.	
2) Toxicant generation possibility during reaction :Not polymerization	
3) Prohibited conditions:- Avoid heat, sparks, open flames and other ignition sources	
4) Prohibited materials: - An Oxidizing agent	
5) Toxicant during decomposition : - Carbon oxides	
1. Toxicological Information	
A. Information on the likely routes of exposure	
 Inhalation: May cause slight irritation Ingestion: May cause vomit, coughing, shortness of breath, dizziness. Skin contact: May cause slight skin irritation. Eye contact: May cause slight eye irritation. 	
B. Delayed and immediate effects and chronic effectsfrom short or long term exposure	
1) Distillates, Hydrotreated Heavy Paraffinic Acute oral toxicity Oral: LD50 > 5000mg/bw Rat Dermal: LD50 > 5000mg/bw Rabbit Inhalation: LC50 = 50mg/L (4hr) Rat Skin corrosion/irritation: No irritating (Rabbit) Serious eye damage/eye irritation: No irritating (Rabbit) Respiratory sensitization: Not determined (guinea pig) Skin sensitization: Not determined (guinea pig) Carcinogenicity: MOL, OSHA, IARC: No data Germ cell mutagenicity: Negative (Ames test) Reproductive toxicity: No data Specific target organ systemic toxicity(single exposure): No data Specific target organ systemic toxicity(repeated exposure): No data Aspiration hazard: No data	
 2) Ca Branched/Linear Alkylphenate Salicylate Sulfide Acute oral toxicity Oral: LD50 > 5000mg/bw Rat Dermal: LD50 > 5000mg/bw Rabbit 	

 Skin corrosion/irrit Serious eye damage Respiratory sensiti Skin sensitization Carcinogenicity Germ cell mutager Reproductive toxic Specific target org 	an systemic toxicity(single exposure): No data an systemic toxicity(repeated exposure): No data	
3) Calcium Long Chain /	Alkaryl Sulfonate Sulfide	
Acute oral toxicity		
- Oral : LD50 > 500	_	
- Dermal: LD50 >	5000mg/bw Habbit) = 50mg/L (4hr) Rat	
	ation: No irritating (Rabbit)	
	ge/eye irritation: No irritating (Rabbit)	
	zation : Not determined (guinea pig)	
	Not determined (guinea pig)	
	MOL, OSHA, IARC : No data nicity : Negative (Ames test)	
Reproductive toxic	-	
	an systemic toxicity(single exposure) : No data	
Specific target orgAspiration hazard	an systemic toxicity(repeated exposure): No data	
O Aspiration nazaru	· NO dala	
4) Additive mixture (S1)		
Acute oral toxicity		
- Oral: No data - Dermal: No data		
- Inhalation: No d		
	ation: No irritating (Rabbit)	
	ge/eye irritation : No irritating (Rabbit)	
	zation: Not determined (guinea pig)	
	Not determined (guinea pig) MOL, OSHA, IARC: No data	
	nicity: Negative (Ames test)	
 Reproductive toxic 	ity: No data	
	an systemic toxicity(single exposure): No data	
Specific larger orgAspiration hazard	an systemic toxicity(repeated exposure): No data : No data	
·		
C. Numerical measures	of toxicity(such as ATE): No data	
12. Ecological Informa	ation	
A. Hazardous to the aqu	uatic environment:	
1) Distillates, Hydrotre	-	
○ Fish:	No data	
○ Crustacea :	No data	
○ Algea:	No data	
2)Ca Branched/Linear ○ Fish:	Alkylphenate Salicylate Sulfide No data	
○ Crustacea :	No data	
(/ Olusiacea ·	110 data	

○ Algea:

No data

	3) Calcium Long Chain Alkar	
	○ Fish:	No data
	○ Crustacea :	No data
	○ Algea:	No data
	4) Additive mixture (S1)	
	○ Fish:	No data
	○ Crustacea:	No data
	○ Algea:	No data
	 B. Persistence and degradabil 1) Distillates, Hydrotreated F No data 2) Ca Branched/Linear Alkyl 	Heavy Paraffinic
	- No data	
	3) Calcium Long Chain Alkaı - No data	ryl Sulfonate Sulfide
	4) Additive mixture (S1)	
	- No data	
	C. Bioaccumulative potential	La constituita
	1) Distillates, Hydrotreated F	deavy Parattinic day, aerotropism, domestic waste water, not disassemble)
	2) Ca Branched/Linear Alkyl	
	- No data	
	3) Calcium Long Chain Alkaı - No data	ryl Sulfonate Sulfide
	4) Additive mixture (S1)No data	
	D. Mobility in soil :1) Distillates, Hydrotreated F	Jaawy Paraffinic
	- No data	leavy i diamine
	 Ca Branched/Linear Alkyl No data 	ohenate Salicylate Sulfide
	3) Calcium Long Chain Alkar - No data	ryl Sulfonate Sulfide
	4) Additive mixture (S1)	
	- No data	
	E. Other adverse effects: - No data	
13	. Disposal Consideration	S
	. <u> </u>	-
	 Disposal methods: Use only licensed transpor 	ters and permitted facilities for waste disposal.
	2) Disposal cautions:	
	Dispose according to the r	elated regulations

14. Transport Information

This product is not regulated for carriage according to ADR/RID, ADN, IMDG, ICAO/IATA.

1) UN number: Not applicable

- 2) UN Proper Shipping Name: Not applicable
- 3) Transport hazard classes: Not applicable
- 4) Packing group, if applicable: Not applicable
- 5) Environmental hazards: Not applicable
- 6) Special precautions for user: Not applicable

15. Regulatory Information

A. Industrial safety and health act (Korea)

Not determined

B. Chemical control act (Korea)

Not determined

- C. Dangerous Goods Safe Control Act (Korea)
 Category 4 Dangerous Goods (Flammable Liquids), Grade 4 petroleum chemicals
- D. Wastes control act (Korea)
 No data

E. Other internal and foreign acts

- 1) Distillates, Hydrotreated Heavy Paraffinic
- O EU classification

- Classification: Carc. Cat. 2

Risk Phrases: R45Safety Phrases: S45, S53

O U.S. acts

- OSHA (29CFR1910.119):

- CERCLA 103 (40CFR302.4):

- EPCRA 302 (40CFR355.30):

- EPCRA 304 (40CFR355.40):

- EPCRA 313 (40CFR372.65):

Not determined

Not determined

- 2) Ca Branched/Linear Alkylphenate Salicylate Sulfide
 - O EU classification

Classification: Not determinedRisk Phrases: Not determinedSafety Phrases: Not determined

O U.S. acts

- OSHA (29CFR1910.119):

- CERCLA 103 (40CFR302.4):

- EPCRA 302 (40CFR355.30):

- EPCRA 304 (40CFR355.40):

- EPCRA 313 (40CFR372.65):

Not determined

Not determined

- 3) Calcium Long Chain Alkaryl Sulfonate Sulfide
 - O EU classification

Classification: Not determined
Risk Phrases: Not determined
Safety Phrases: Not determined

O U.S. acts

- OSHA (29CFR1910.119):

- CERCLA 103 (40CFR302.4):

Not determined

- EPCRA 302 (40CFR355.30):

Not determined

Not determined

Not determined

Not determined

Not determined

4) Additive mixture (S1)

O EU classification

Classification: Not determinedRisk Phrases: Not determinedSafety Phrases: Not determined

O U.S. acts

- OSHA (29CFR1910.119):

- CERCLA 103 (40CFR302.4):

Not determined

- EPCRA 302 (40CFR355.30):

Not determined

- EPCRA 304 (40CFR355.40):

Not determined

Not determined

Not determined

16. Other Information

1) References

- Korea Occupatonal Safety & Health Agency
- GS Caltex R&D Center
- MSDS of of raw material from supplier
- KOSHANET
- Occupation safety and health acts of Korea
- Globally Harmonized System of classification and labeling of chemicals (GHS), First revised edition. United Nations
- EINECS(European Inventory of Existing Commercial Chemical Substances)
- ACGIH(American Conference of Governmental Safety and Health)
- IUCLID Dataset
- 2) Date of preparation of the first version of the MSDS: 2012.11.30
- 3) Revised frequency and Date of preparation of the latest version of the MSDS: 2017-10-26 (3)

4) Others:

To the best of our knowledge, the information provided in this MSDS document is correct. Access to this information is being provided via the Internet so that it can be made available to as many potential users as possible. We do not assume any liability for consequences of the use of this information since it may be applied under conditions beyond our control or knowledge. Also, it is possible that additional data could be made available after this MSDS was issued.

Certain hazards are described herein, however these may not be the only hazards that exist. All materials may present unknown hazards and should be used with caution.

Customers are encouraged to review this information, follow precautions, and comply with all applicable laws and regulations regarding the use and disposal of this product.

For specific technical data or advice concerning this product as supplied in your country please contact your local sales representative.

The final determination of the suitability of any material is the sole responsibility of the user.



Material Safety Data Sheet (MSDS)

Product	Kixx Marine 10 40
---------	-------------------

Team	Date of first preparation	Date of last revision	Revision Number
Finished Lubricants	2012 11 20	2017 10 26	2
R&D Team	2012-11-30	2017-10-26	5

1. Chemical Product and Company Information

1) Product: Kixx Marine 10 40

2) Recommended use of the chemical and restrictions on use

O Recommended use: Lubricants, Marine System Oil (Cross Head Engine)

O Restrictions on use :

3) Manufacture/Supplier information

Supply company : GS Caltex Corporation

O Address: Nonhyeon-ro 508(Yeoksam-dong), Gangnam-gu, Seoul, South Korea

○ Information service or emergency call: 82-2-1899-5145

O Department in charge: Finished Lubricants R&D Team

2. Hazards Identification

- 1) Classification of the substance or mixture
 - Not hazardous
- 2) GHS labels, including precautionary statements

○ Symbol : No symbol

- O Signal word: No signal word
- O Hazard statement

Not classified under GHS criteria

- O Precautionary statement
 - Prevention

No precautionary phrases

- Response

No precautionary phrases

- Storage

No precautionary phrases

- Disposal

No precautionary phrases

3) Other hazards which do not result in classification

NFPA Component	Health	Fire	Reactivity
1. Distillates, Hydrotreated Heavy Paraffinic	0	1	0
2. Ca Branched/Linear Alkylphenate	1	1	0
3. Calcium Long Chain Alkaryl Sulfonate	1	1	0
4. Additive mixture (S1)	1	1	0

3. Composition and Information on Ingredients

Component	Synonyms	CAS No.	Content(%)
Distillates, Hydrotreated Heavy Paraffinic		64742-54-7	90 ~ 95
2. Ca Branched/Linear Alkylphenate Salicylate Sulfide		Not Determined	1 ~ 5
3. Calcium Long Chain Alkaryl Sulfonate Sulfide		722503-68-6	1 ~ 5
4. Additive mixture (S1)	Not Applicable	Not Determined	1 ~ 5

4. First Aid Measures

- 1) Eye contact:
 - Wash eyes thoroughly with plenty of water for at least 20 minutes.
- 2) Skin contact:
 - Remove contaminated clothing and wash skin with plenty of soap and water.
 - Flush with plenty of water for 15 minutes.
 - Seek medical attention if ill effect or irritation develops.
- 3) Inhalation:
 - If overcome by exposure, remove person to fresh air immediately.
 - Give oxygen or artificial respiration as needed.
 - Obtain emergency medical attention. Prompt action is essential.
- 4) Ingestion:
 - Do not induce vomiting. Obtain emergency medical attention. Prompt action is essential.
- 5) Most important symptoms/effects, acute and delayed:
 - May cause slight eye and skin irritation. Not expected to be a sensitizer.
- 6) First-aid treatment and information on medical doctors:
 - Treat symptomatically.

Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient.

5. Fire Fighting Measures

 Recommanded(or 	prohibited)	extinguishing	media

- O Recommanded extinguishing media:
- Dry chemicals, CO2, water spray, fire fighting foam
- O Prohibited extinguishing media:
- High pressure water shoot
- O Large fire:
- fire fighting foam or water spray

2) Specific hazard from chemical material

- O Toxicant from combustion: Carbon oxides
- \bigcirc Fire and Explosion Hazards: Slight fire risk
- 3) Extinguishment:

If it is not dangerous, remove containers from fire areas. Make hills for further treatment. avoid Inhalation of material oneself or combustion generation material Stand against the wind and avoid lower zone.

6. Accidental Release Measures

1) Necessary actions to protect human health:

If it is not dangerous, stop release safely, do so.

- 2) Necessary actions to protect the environment
 - May contaminate water supplies/pollute public waters. Evacuate/limit access. Equip responders with proper protection.

Prevent flow to sewer/public waters. Stop release. Notify fire and environmental authorities. Restrict water use for cleanup.

·

- 3) Purification and removal methods
 - O Small leak: Only authorized person can access to the hazardous and restricted areas.

Collect spills with proper containers to treat them.

Absorb spills with sand and other non-combustible materials.

○ Large leak: No data

7. Handling and Stroage

1) Safety handling:

Avoid contact with skin. Use proper bonding and/or grounding procedures.

Prevent small spills and leakage to avoid slip hazard.

Material can accumulate static charges which may cause an electrical spark (ignition source).

2) Stroage:

Stroage in closed containers.

8. Exposure Control and Personal Protection

A. Exposure limits and biological exposure limits of chemical

1) Distillates, Hydrotreated Heavy Paraffinic

○ ACGIH: TWA: 5mg/m3

STEL: 10mg/m3

○ NIOSH: TWA: 5mg/m3

STEL: 10mg/m3

- O Biological exposure limits: No data
- 2) Ca Branched/Linear Alkylphenate Salicylate Sulfide
 - O ACGIH: No data
 - O Biological exposure limits: No data
- 3) Calcium Long Chain Alkaryl Sulfonate Sulfide

	○ ACGIH : No data○ Biological exposure limits : No data
↓)	Additive mixture (S1) O ACGIH: No data O Biological exposure limits: No data
В.	Engineering management: Ventilation equipment should be explosion-proof if explosive concentrations of dust, vapor or fume are
C.	. Personal protection equipment :
	 Respiratory protection: If engineering controls do not maintain airborne contaminant concentrations at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use, and maintenance must be in accordance with regulatory requirements, if applicable. Types of respirators to be considered for this material include: Half-face filter respirator Eyes protection: Safety glasses or goggles are recommended for the eyes protection from dusts or mists. Hands protection:
	Use proper chemical resistant gloves.
	O Human body protection: Use proper chemical resistant clothes.

9. Physical and Chemical Properties

1) Appearance: Clear, light yellow liquid

2) Odor : a specific smell of Hydrocarbon

3) Odor threshold: No data

4) pH: No data

5) Melting point/freezing point: No data

6) Initial boiling point or boiling range: No data

7) Flash point : 232°C (C.O.C)

8) Evaporation rate (BuAc=1): No data

9) Flammability(solid, gas): No data

10) Upper/lower flammability or explosive limits: No data

11) Vapor pressure : <0.1 Kpa @ 20℃

12) Solubility: No data

13) Vapor density: No data

14) Relative density: 0.8535 Kg/L @ 15℃

15) Partition coeficient: n-octano/water : No data	
16) Auto-ignition temperature ∶> 260 ℃	
17) Decomposition temperature : No data	
18) Viscosity: 10.5 cSt @ 100℃	
19) Molecular weight: No data	
0. Stability and Reactivity	_
 1) Chemical stability: Stable at room temperature and pressure. 2) Toxicant generation possibility during reaction: 	
- Not polymerization	
3) Prohibited conditions:- Avoid heat, sparks, open flames and other ignition sources	
4) Prohibited materials: - An Oxidizing agent	
5) Toxicant during decomposition : - Carbon oxides	
1. Toxicological Information	_
A. Information on the likely routes of exposure	
 Inhalation: May cause slight irritation Ingestion: May cause vomit, coughing, shortness of breath, dizziness. Skin contact: May cause slight skin irritation. Eye contact: May cause slight eye irritation. 	
B. Delayed and immediate effects and chronic effectsfrom short or long term exposure	
1) Distillates, Hydrotreated Heavy Paraffinic Acute oral toxicity Oral: LD50 > 5000mg/bw Rat Dermal: LD50 > 5000mg/bw Rabbit Inhalation: LC50 = 50mg/L (4hr) Rat Skin corrosion/irritation: No irritating (Rabbit) Serious eye damage/eye irritation: No irritating (Rabbit) Respiratory sensitization: Not determined (guinea pig) Skin sensitization: Not determined (guinea pig) Carcinogenicity: MOL, OSHA, IARC: No data Germ cell mutagenicity: Negative (Ames test) Reproductive toxicity: No data Specific target organ systemic toxicity(single exposure): No data Specific target organ systemic toxicity(repeated exposure): No data Aspiration hazard: No data	
2) Ca Branched/Linear Alkylphenate Salicylate SulfideAcute oral toxicity	

- Oral: LD50 > 5000mg/bw Rat

- Inhalation: LO O Skin corrosion/i O Serious eye dar O Respiratory sen O Skin sensitizatio O Carcinogenicity O Germ cell mutag O Reproductive to O Specific target	organ systemic toxicity(si organ systemic toxicity(re	ritating (Rabbit) d (guinea pig) ea pig) data	
 Acute oral toxic Oral: LD50 > Dermal: LD50 Inhalation: LO Skin corrosion/i Serious eye dar Respiratory sen Skin sensitization Carcinogenicity Germ cell mutage Reproductive to Specific target 	5000mg/bw Rat > 5000mg/bw Rabbit C50 = 50mg/L (4hr) Rat irritation: No irritating (Ramage/eye irritation: No irritation: No irritation: No irritation: No irritation: Not determined (guin: Not determined (guin: MOL, OSHA, IARC: Not genicity: Negative (Ames exicity: No data organ systemic toxicity(reconstruction)	abbit) ritating (Rabbit) d (guinea pig) ea pig) data	
 Serious eye dar Respiratory sen Skin sensitization Carcinogenicity Germ cell mutage Reproductive to Specific target Aspiration haza 	ity a ata o data irritation: No irritating (Ra mage/eye irritation: No irr sitization: Not determine on: Not determined (guin : MOL, OSHA, IARC: No genicity: Negative (Ames exicity: No data organ systemic toxicity(si organ systemic toxicity(re	ritating (Rabbit) d (guinea pig) ea pig) data test) ngle exposure): No data epeated exposure): No data	
12. Ecological Inform		-,	
A. Hazardous to the a 1) Distillates, Hydro O Fish: O Crustacea: O Algea:		e Sulfide	
○ Fish:	No data		

O Crustacea:

No data

 Algea: Calcium Long Chain Alkaryl Fish: Crustacea: Algea: 4) Additive mixture (S1) 	No data Sulfonate Sulfide No data No data No data
○ Fish :○ Crustacea :○ Algea :	No data No data No data
 B. Persistence and degradability 1) Distillates, Hydrotreated Heren No data 2) Ca Branched/Linear Alkylph No data 3) Calcium Long Chain Alkaryl No data 4) Additive mixture (S1) No data 	avy Paraffinic enate Salicylate Sulfide
C. Bioaccumulative potential 1) Distillates, Hydrotreated Hea - Bioaccumulation: 6% (28 da 2) Ca Branched/Linear Alkylph - No data 3) Calcium Long Chain Alkaryl - No data 4) Additive mixture (S1) - No data	ay, aerotropism, domestic waste water, not disassemble) enate Salicylate Sulfide
 D. Mobility in soil: 1) Distillates, Hydrotreated Heren No data 2) Ca Branched/Linear Alkylph - No data 3) Calcium Long Chain Alkaryl - No data 4) Additive mixture (S1) - No data 	enate Salicylate Sulfide
E. Other adverse effects: - No data 13. Disposal Considerations	
1) Disposal methods :	s and permitted facilities for waste disposal.
2) Disposal cautions: Dispose according to the relation	ated regulations

This product is not regulated for carriage according to ADR/RID, ADN, IMDG, ICAO/IATA.

1) UN number: Not applicable

2) UN Proper Shipping Name: Not applicable

3) Transport hazard classes: Not applicable

4) Packing group, if applicable: Not applicable

5) Environmental hazards: Not applicable

6) Special precautions for user: Not applicable

15. Regulatory Information

A. Industrial safety and health act (Korea)

Not determined

B. Chemical control act (Korea)

Not determined

C. Dangerous Goods Safe Control Act (Korea)
Category 4 Dangerous Goods (Flammable Liquids), Grade 4 petroleum chemicals

D. Wastes control act (Korea)

No data

- E. Other internal and foreign acts
 - 1) Distillates, Hydrotreated Heavy Paraffinic
 - O EU classification

- Classification: Carc. Cat. 2

Risk Phrases: R45Safety Phrases: S45, S53

O U.S. acts

- OSHA (29CFR1910.119):

- CERCLA 103 (40CFR302.4):

- EPCRA 302 (40CFR355.30):

- EPCRA 304 (40CFR355.40):

- EPCRA 313 (40CFR372.65):

Not determined

Not determined

- 2) Ca Branched/Linear Alkylphenate Salicylate Sulfide
 - O EU classification

Classification: Not determinedRisk Phrases: Not determinedSafety Phrases: Not determined

O U.S. acts

- OSHA (29CFR1910.119):

- CERCLA 103 (40CFR302.4):

- EPCRA 302 (40CFR355.30):

- EPCRA 304 (40CFR355.40):

- EPCRA 313 (40CFR372.65):

Not determined

Not determined

- 3) Calcium Long Chain Alkaryl Sulfonate Sulfide
 - O EU classification

Classification: Not determined
Risk Phrases: Not determined
Safety Phrases: Not determined

O U.S. acts

- OSHA (29CFR1910.119):

- CERCLA 103 (40CFR302.4):

- EPCRA 302 (40CFR355.30):

- EPCRA 304 (40CFR355.40):

- EPCRA 313 (40CFR372.65):

Not determined

Not determined

4) Additive mixture (S1)

O EU classification

Classification: Not determinedRisk Phrases: Not determinedSafety Phrases: Not determined

O U.S. acts

- OSHA (29CFR1910.119):

- CERCLA 103 (40CFR302.4):

- EPCRA 302 (40CFR355.30):

- EPCRA 304 (40CFR355.40):

- EPCRA 313 (40CFR372.65):

Not determined

Not determined

16. Other Information

- 1) References
 - Korea Occupatonal Safety & Health Agency
 - GS Caltex R&D Center
 - MSDS of of raw material from supplier
 - KOSHANET
 - Occupation safety and health acts of Korea
 - Globally Harmonized System of classification and labeling of chemicals (GHS), First revised edition, United Nations
 - EINECS(European Inventory of Existing Commercial Chemical Substances)
 - ACGIH(American Conference of Governmental Safety and Health)
 - IUCLID Dataset
- 2) Date of preparation of the first version of the MSDS: 2012.11.30
- 3) Revised frequency and Date of preparation of the latest version of the MSDS: 2017-10-26 (3)

4) Others:

To the best of our knowledge, the information provided in this MSDS document is correct. Access to this information is being provided via the Internet so that it can be made available to as many potential users as possible. We do not assume any liability for consequences of the use of this information since it may be applied under conditions beyond our control or knowledge. Also, it is possible that additional data could be made available after this MSDS was issued.

Certain hazards are described herein, however these may not be the only hazards that exist. All materials may present unknown hazards and should be used with caution.

Customers are encouraged to review this information, follow precautions, and comply with all applicable laws and regulations regarding the use and disposal of this product.

For specific technical data or advice concerning this product as supplied in your country please contact your local sales representative.

The final determination of the suitability of any material is the sole responsibility of the user. please contact your local sales representative.

The final determination of the suitability of any material is the sole responsibility of the user.