

# Material Safety Data Sheet

Product	Kixx Grease 2		
List No.	Issuing date	Last revised date	Department
LB3001	2012-11-30	2018-01-01	Finished Lubricants R&D Team

## 1. Identification of the substance/mixture and of the company/undertaking

### 1) Product identifier

- Kixx Grease 2

### 2) Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified uses : (Lubricants and additives)

- Uses advised against : Do not use for any other purpose.

### 3) Supplier information

#### Manufacturer information

- Company name : GS Caltex Corporation  
[Manufacture]

- Address : GS Tower, 508, Nonhyeon-ro, Gangnam-gu, Seoul, Korea

- Emergency telephone number : 1899-5145

## 2. HAZARD IDENTIFICATION

### 1) Hazard classification

- Not applicable

### 2) Allocation label elements

#### Hazard pictograms

- Not applicable

#### Signal word

- Not applicable

#### Hazard statements

- Not applicable

#### Precautionary statements

##### 1) Prevention

- Not applicable

##### 2) Response

- Not applicable

##### 3) Storage

- Not applicable

##### 4) Disposal

- Not applicable

### 3) Other hazards

#### ○ Product NFPA Level : Health , Flammability , Reactivity

(※ 0-Lack, 1-Low, 2-Moderate, 3-High, 4-Very High)

※ Chemical NFPA Level.

- Distillates (petroleum), hydrotreated heavy paraffinic : Health=1, Flammable=1, Reaction=0
- Distillates, petroleum, solvent-refined heavy naphthenic : Health=1, Flammable=1, Reaction=0
- 12-Hydroxystearic acid : Health=1, Flammable=1, Reaction=0
- Hydrogenated castor oil : Health=1, Flammable=1, Reaction=0
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Health=0, Flammable=1, Reaction=0
- Boric acid, crude natural : Health=2, Flammable=0, Reaction=0
- Mineral Oil(Mixture) : Health=0, Flammable=0, Reaction=0

### 3. Composition/Information on ingredients

Chemical name	Trade names and Synonyms	CAS No.	EC No.	Contain Ratio(%)
Distillates (petroleum), hydrotreated heavy paraffinic		64742-54-7	265-157-1	75 ~ 85
Distillates, petroleum, solvent-refined heavy naphthenic		64741-96-4	265-097-6	10 ~ 15
12-Hydroxystearic acid		106-14-9	203-366-1	1 ~ 6
Hydrogenated castor oil		8001-78-3	232-292-2	1 ~ 5
N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene		68411-46-1	270-128-1	0 ~ 1
Boric acid, crude natural		10043-35-3	233-139-2	0 ~ 0.29
Mineral Oil(Mixture)				3 ~ 7

### 4. FIRST AID MEASURES

#### 1) Following eye contact

- In case of contact with material, immediately flush eyes with running water for at least 15 minutes.
- Get medical aid immediately.

#### 2) Following skin contact

- In case of contact with material, immediately flush skin with running water for at least 15 minutes.
- Remove and isolate contaminated clothing and shoes.
- Launder contaminated clothing and shoes before re-use.
- Get medical aid immediately.

#### 3) Following inhalation

- Move to fresh air.
- Give artificial respiration if victim is not breathing.
- Administer oxygen if breathing is difficult.
- Seek immediate medical assistance.

#### 4) Following ingestion

- If unconscious but breathing, never give anything by mouth.
- Get medical aid immediately.

### 5) Advice to physician

- Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
- Do not apply drugs of the adrenaline ephedrine group.

## 5. FIRE FIGHTING MEASURES

### 1) Suitable (and unsuitable) extinguishing media

#### ○ Suitable extinguishing media

- Small fire: Dry sand, dry chemical, alcohol-resistant foam, water spray, regular foam, CO<sub>2</sub> (Suitable extinguishing media).
- Large fire: Water spray/fog, regular foam (Suitable extinguishing media).

#### ○ Unsuitable extinguishing media

- High-pressure water (Unsuitable extinguishing media).

### 2) Special hazards arising from the substance or mixture

- May ignited from heat, friction or contamination.
- Containers may explode when heated.
- Some may burn but none ignite readily.
- Fire may produce irritating and/or toxic gases.
- May cause toxic effects if inhaled.
- Some liquids produce vapors that may cause dizziness or suffocation.

### 3) Special protective equipment for firefighters

- Move containers from fire area if you can do it without risk.
- Substance may be transported hot.
- Runoff may cause pollution.
- Contact may cause burns to skin and eyes.
- Dike fire-control water for later disposal; do not scatter the material.
- Move containers from fire area if you can do it without risk.
- Fire involving Tanks: Cool containers with flooding quantities of water until well after fire is out.
- Fire involving Tanks: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Fire involving Tanks: ALWAYS stay away from tanks engulfed in fire.

## 6. ACCIDENTAL RELEASE MEASURES

### 1) Health considerations and protective equipment

- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
- Stop leak if you can do it without risk.
- Please note that materials and conditions to be avoided.
- Ventilate the contaminated area.
- Do not touch or walk through spilled material.
- Prevent dust cloud.
- Do not enter areas which have more than 23.5% oxygen in the atmosphere, without respirator or air supplied mask.

## 2) Environmental precautions

- Prevent entry into waterways, sewers, basements or confined areas.

## 3) For cleaning up

- Small Spill: Flush area with flooding quantities of water.
- Small Spill: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
- Large Spill: Dike far ahead of liquid spill for later disposal.
- With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.
- Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry.

## 7. HANDLING AND STORAGE

### 1) Precautions for safe handling

- Please note that materials and conditions to be avoided.
- Wash ... thoroughly after handling.
- Handling refer to engineering control/personal protection section.
- CAUTION: High temperature.
- CAUTION: This material does not contain oxygen and may cause asphyxia if released in a confined area.
- High concentration of this gas will create an oxygen-deficient atmosphere, creating the risk of asphyxiation. Check oxygen content before entering area.
- CAUTION: Vapors displace air and can cause asphyxiation in confined spaces if released material.
- CAUTION: Can be reach toxic concentration quickly in air if released.
- Do not spray. Can be reach toxic concentration quickly in air if sprayed.
- Keep under 20°C. This material evaporate slowly at 20°C and reach toxic concentration.
- Do not spray. This material does not easily evaporated. But can be reach toxic concentration quickly in air if sprayed.
- Do not spray. This material does not easily evaporated. But can be reach toxic concentration quickly in air if sprayed.
- Check oxygen content before entering area.
- Do not spray. Can be evaporate quickly if sprayed.
- Use adequate machine for prevention when package handling.
- Avoid any skin and eye contact when insert undiluted solution. Wash ... thoroughly after handling.
- Caution: Dangerous fire hazard when exposed to heat, or flame, sparks.
- Wear an appropriate Personal protection. (See Exposure Controls/Personal Protection section.)

### 2) Conditions for safe storage (including any incompatibilities)

- Store in a closed container.
- Store in a dry place. Store in a closed container.
- Please note that materials and conditions to be avoided.
- Store containers: AVOID the place where can be damage and contamination.
- Store in a cool/low-temperature, well-ventilated {dry} place {away from heat and ignition sources}
- Choose a place that can be protected from strong oxidizers and acid.
- Drum Handling: Must work at safe place., Loading more than 3 stack is prohibited.

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### 1) Chemical exposure limits, Biological exposure standard

○ Occupational exposure limits (Domestic)

- Not applicable

○ Occupational exposure limits (ACGIH)

- Not applicable

○ Biological limit values

- Not applicable

## 2) Appropriate engineering controls

- Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

## 3) Personal protection equipment

○ Respiratory protection

- If high frequency of use or exposure, wear air respirator.
- Wear breathing protection, which needs a confirmation from the Korea Occupational Safety and Health Agency.

○ Eye protection

- Wear suitable protective goggles and face shields.
- Provide emergency showers and eyewash.
- Wear face shield to protect eyes from scattering dust or hazardous liquid.
- Wear Non-moisture permeable goggle for dust protection.
- Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

○ Hand protection

- Wear insulated gloves.
- Wear suitable protective gloves.
- Wear Non-moisture permeable chemical resistance protective gloves(latex, nitrile rubber, PVC) for prevent skin contact.

○ Body protection

- Wear suitable protective clothing.
- When contact is likely wear chemical resistant, oil and grease resistant, non-moisture permeable shoes and clothes.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Item	Input Value
Appearance	Clear, light yellow semi-solid
Smell	a specific smell of Hydrocarbon
Smell Threshold	No Data
pH	No Data
Melting/Freezing Point	No Data
Boiling Point	No Data
Flash Point	No Data
Evaporating Rate	No Data
Flammability	No Data
Explosibility Range	No Data

Steam Pressure	<0.1
Solubility	No Data
Vapor Density	No Data
Specific Gravity	0.898
Distribution Coefficient	No Data
Self Ignition Temperature	No Data
Pyrolysis Temperature	No Data
Viscosity	No Data
Molecular Weight	No Data

## 10. STABILITY AND REACTIVITY

### 1) Stability and hazardous reactivity

- Stable under normal temperatures and pressures.
- Containers may explode when heated.
- Some may burn but none ignite readily.
- Fire may produce irritating and/or toxic gases.
- May cause toxic effects if inhaled.
- Some liquids produce vapors that may cause dizziness or suffocation.

### 2) Conditions to avoid

- Ignition source(heat, spark, flame, etc.).

### 3) Incompatible materials

- Combustibles.
- Irritating and/or toxic gas.

### 4) Hazardous decomposition products

- Not available

## 11. TOXICOLOGICAL INFORMATION

### 1) Exposure route information

#### Inhalation

- Can be absorbed in body by inhalation or contact skin and the digestive organs.

#### Skin Contact

- Can be absorbed in by contact skin and the digestive organs or inhalation of aerosol.

#### Eye Contact

- Vapors/mist can be exposed through the respiratory tract, eyes and skin.

#### Ingestion

- Can be absorbed in by contact skin and the digestive organs or inhalation of aerosol.

### 2) Health hazard information

#### Acute toxicity

\* Oral - PRODUCT : Not applicable(ATEmix) : >5000mg/kg

- Distillates (petroleum), hydrotreated heavy paraffinic : LD50 > 5000 mg/kg Rat (ECHA)

- Distillates, petroleum, solvent-refined heavy naphthenic : LD50 > 5000 mg/kg Rat (GLP, ECHA)
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : LD50 > 10000 mg/kg Rat
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : LD50 > 5000 mg/kg Rat
- Boric acid, crude natural : LD50 = 2660 mg/kg Rat (HSDB, NITE)

**\* Dermal - PRODUCT : Not applicable(ATEmix) : >5000mg/kg**

- Distillates (petroleum), hydrotreated heavy paraffinic : LD50 >5000 mg/kg Rabbit (ECHA)
- Distillates, petroleum, solvent-refined heavy naphthenic : LD50 > 5000 mg/kg Rabbit (GLP, ECHA)
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : LD50 > 2000 mg/kg
- Boric acid, crude natural : LD50 > 2000 mg/kg Rabbit (HSDB)

**\* Inhalation(Gas) - PRODUCT : Not applicable (ATEmix = 0 )**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

**\* Inhalation(Vapour) - PRODUCT : Not applicable (ATEmix = 0 )**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

**\* Inhalation(Dust, mist) - PRODUCT : Not applicable**

- Distillates (petroleum), hydrotreated heavy paraffinic : LC50 >5.53 mg/l 4 hr Rat (ECHA)
- Distillates, petroleum, solvent-refined heavy naphthenic : LC50 >5.53 mg/l 4 hr Rat (ECHA)
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

**○ Skin corrosion/Irritation**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

○ **Serious eye damage/irritation**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

○ **Respiratory sensitization**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

○ **Skin sensitization**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

○ **Carcinogenicity**

- Distillates (petroleum), hydrotreated heavy paraffinic : Carcinogenicity Category 1B EU CLP (Note L)
- Distillates, petroleum, solvent-refined heavy naphthenic : Carcinogenicity Category 1B EU CLP (Note L)
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

○ **Germ cell mutagenicity**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

○ **Reproductive toxicity**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data



- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : Reproductive toxicity Category 1B EU CLP Notice

○ **Specific target organ toxicity (single exposure)**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

○ **Specific target organ toxicity (repeated exposure)**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

○ **Aspiration hazard**

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

## 12. ECOLOGICAL INFORMATION

### 1) Aquatic toxicity

○ **Fish**

- Distillates (petroleum), hydrotreated heavy paraffinic : LC50 5000 mg/l 96 hr *Oncorhynchus mykiss* (IUCLID)
- Distillates, petroleum, solvent-refined heavy naphthenic : LC50 5000 mg/l 96 hr *Oncorhynchus mykiss* (IUCLID)
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : LC50 10000 mg/l 96 hr *Brachydanio rerio* (IUCLID)
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : LC50 100 mg/L 96hr (ECHA)
- Boric acid, crude natural : LC50 600 mg/l 96 hr

○ **Crustacean**

- Distillates (petroleum), hydrotreated heavy paraffinic : EC50 1000 mg/l 48 hr *Daphnia magna* (IUCLID)
- Distillates, petroleum, solvent-refined heavy naphthenic : EC50 1000 mg/l 48 hr *Daphnia magna* (IUCLID)
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : EC50 51 mg/l 48 hr (ECHA)
- Boric acid, crude natural : No data

### ○ Acuatic algae

- Distillates (petroleum), hydrotreated heavy paraffinic : EC50 1000 mg/ℓ 96 hr Scenedesmus subspicatus (IUCLID)
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : EC50  $\geq$  100 mg/ℓ 96 hr Selenastrum capricornutum (read across 101-67-7)
- Boric acid, crude natural : No data

## 2) Persistence and degradation

### ○ Persistence

- Distillates (petroleum), hydrotreated heavy paraffinic : log Kow = 3.9 ~ 6 (Estimate)
- Distillates, petroleum, solvent-refined heavy naphthenic : log Kow 3.9 ~ 6 (IUCLID)
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : log Kow 5.08 (ECHA)
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : log Kow 7.05 (>6 (HPVIS)) (Estimate)
- Boric acid, crude natural : No data

### ○ Degradation

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

### ○ biodegradation

- Distillates (petroleum), hydrotreated heavy paraffinic : Biodegradability = 6 (%) 28 day (Aerobic, Domestic wastewater, does not decompose easily)
- Distillates, petroleum, solvent-refined heavy naphthenic : 6 (%) 28 day (Aerobic, Domestic wastewater, does not decompose easily)
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : 5 (%) 28 day (IUCLID)
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : Under test conditions no biodegradation observed (100%)(ECHA), 9 (%) 28 day (read across 68442-68-2)

## 3) Bioaccumulative potential

- Distillates (petroleum), hydrotreated heavy paraffinic : BCF 12520 (Estimate)
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : (90 day (12°C), Oncorhynchus tshawytscha (Fis hr, fresh water, marine), 34 mg/ℓ)

## 4) Mobility in soil

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : [N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene] : Koc 60460 (Estimates)
- Boric acid, crude natural : No data

#### 5) Hazard to the ozone layer

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Distillates, petroleum, solvent-refined heavy naphthenic : Not applicable
- 12-Hydroxystearic acid : Not applicable
- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable
- Boric acid, crude natural : Not applicable

#### 6) Other adverse effects

- Distillates (petroleum), hydrotreated heavy paraffinic : No data
- Distillates, petroleum, solvent-refined heavy naphthenic : No data
- 12-Hydroxystearic acid : No data
- Hydrogenated castor oil : No data
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : No data
- Boric acid, crude natural : No data

### 13. DISPOSAL CONSIDERATIONS

#### 1) Disposal methods

- Every commercial waste producer shall either treat wastes generated from his/her place of business by him/herself or commission the treatment of such wastes to a person who has license for a waste treatment business under Article 26(3), a person who recycles of such wastes under Article 44(2), a person who has installed and operates a waste disposal facility under Article 4 or 5, a person who has completed the registration of a business of discharging wastes into the sea under Article 18 of the Marine Environment Management Act.

#### 2) Precautions (including disposal of contaminated container of package)

- Wear an appropriate Personal protection. (See Exposure Controls/Personal Protection section.)
- Do not allow spill material to enter sewers, storm water drains, soil, etc.
- Empty containers recycled under environmental laws.
- Empty containers may rupture when pressured.
- Empty containers may explode and residues can be ignited when pressured, cut, weld, heated.

### 14. TRANSPORT INFORMATION

#### 1) UN No.

- Not applicable

#### 2) Proper shipping name

- Not applicable

#### 3) Class or division

- Not applicable

#### 4) Packing group

- Not applicable

#### 5) Marine pollutant

- Not applicable

#### 6) Special safety response for transportation or transportation measure

- Types of Emergency Measures in Case of Fire : Not applicable
- Types of Emergency Measures in Leakage : Not applicable
- This product is not regulated for carriage according to ADR/RID, ADN, IMDG, ICAO/IATA.

### 15. REGULATORY INFORMATION

#### 1) Occupational Safety and Health Act in Korea - PRODUCT : Substance exposure limits

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Distillates, petroleum, solvent-refined heavy naphthenic : Not applicable
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : Not applicable
- Mineral Oil(Mixture) : No data

#### 2) Toxic Chemical Control Act in Korea - PRODUCT :

- Hydrogenated castor oil : Existing Commercial Chemical Substances
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Existing Commercial Chemical Substances
- Distillates (petroleum), hydrotreated heavy paraffinic : Existing Commercial Chemical Substances
- Distillates, petroleum, solvent-refined heavy naphthenic : Existing Commercial Chemical Substances
- 12-Hydroxystearic acid : Existing Commercial Chemical Substances
- Boric acid, crude natural : Pollutant release and transfer register substances, Existing Commercial Chemical Substances
- Mineral Oil(Mixture) : No data

#### 3) Safety Control of Dangerous Substances Act in Korea - PRODUCT :

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Distillates, petroleum, solvent-refined heavy naphthenic : Not applicable
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : Not applicable
- Mineral Oil(Mixture) : No data

#### 4) Wastes Control Act in Korea - PRODUCT : 지정 폐기물

-

#### 5) Other regulations in KOREA and Abroad regulations

##### ○ U.S.A. management information(OSHA regulation)

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Distillates, petroleum, solvent-refined heavy naphthenic : Not applicable
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : Not applicable
- Mineral Oil(Mixture) : No data

○ **U.S.A. management information(CERCLA regulation)**

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Distillates, petroleum, solvent-refined heavy naphthenic : Not applicable
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : Not applicable
- Mineral Oil(Mixture) : No data

○ **U.S.A. management information(EPCRA 302 regulation)**

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Distillates, petroleum, solvent-refined heavy naphthenic : Not applicable
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : Not applicable
- Mineral Oil(Mixture) : No data

○ **U.S.A. management information(EPCRA 304 regulation)**

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Distillates, petroleum, solvent-refined heavy naphthenic : Not applicable
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : Not applicable
- Mineral Oil(Mixture) : No data

○ **U.S.A. management information(EPCRA 313 regulation)**

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Distillates, petroleum, solvent-refined heavy naphthenic : Not applicable
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : Not applicable
- Mineral Oil(Mixture) : Not applicable

○ **U.S.A. management information(Rotterdam Convention on Substances )**

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Distillates, petroleum, solvent-refined heavy naphthenic : Not applicable
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : Not applicable
- Mineral Oil(Mixture) : Not applicable

○ **U.S.A. management information(Stockholm Convention on Substances )**

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Distillates, petroleum, solvent-refined heavy naphthenic : Not applicable
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : Not applicable
- Mineral Oil(Mixture) : Not applicable

○ **U.S.A. management information(Mont- real Protocol on Substances )**

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Not applicable
- Distillates, petroleum, solvent-refined heavy naphthenic : Not applicable
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : Not applicable
- Mineral Oil(Mixture) : Not applicable

○ **EU Classification (CLASSIFICATION)**

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : Carc. 1B
- Distillates, petroleum, solvent-refined heavy naphthenic : Carc. 1B
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : Repr. 1B
- Mineral Oil(Mixture) : No data

○ **EU Classification (Risk Phrases)**

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable
- Distillates (petroleum), hydrotreated heavy paraffinic : H350
- Distillates, petroleum, solvent-refined heavy naphthenic : H350
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : H360FD
- Mineral Oil(Mixture) : No data

○ **EU Classification (Safety Phrases)**

- Hydrogenated castor oil : Not applicable
- N-Phenylbenzenamine reaction products with 2,4,4-trimethylpentene : Not applicable

- Distillates (petroleum), hydrotreated heavy paraffinic : S:53-45
- Distillates, petroleum, solvent-refined heavy naphthenic : S:53-45
- 12-Hydroxystearic acid : Not applicable
- Boric acid, crude natural : S:53-45
- Mineral Oil(Mixture) : No data

## 16. OTHER INFORMATION

### 1) Reference

- The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

### 2) Print date

- 2012-11-30

### 3) Revision date

- Number of revised
  - 4
- Date of last revision
  - 2018-01-01
- Last Revision History
  - Information of chemical components and company

### 4) Other

- 이 정보는 근로자 건강, 환경, 안전을 보호하고자, 현재 가용할 수 있는 DB를 근거로 하여 작성하였음.